# ERIBA CARAVANS 2025

Price list for UK and IRL - Valid from 01.11.2024







# CONTENT

ERIBA Touring	5
ERIBA Feeling and Nova Light1	.5
ERIBA Original Parts2	21





# IMPORTANT INFORMATION REGARDING THE SELECTION OF YOUR CARAVAN

When purchasing a caravan, it is especially important to select not only an appealing design, but also the right layout. Weight also plays an essential role here. Family, friends, optional equipment, accessories, and baggage – there should be enough space for all of this. At the same time, there are legal and technical limits for configuration and loading. Each caravan is designed for a certain weight which must not be exceeded during travel. This raises a question for caravan buyers: How should I configure my vehicle to accommodate baggage and accessories according to my needs without causing the vehicle to exceed this maximum weight? To help you make this decision, we have provided you some information below that is particularly important when selecting your vehicle from our product range:

#### 1. The technically permissible maximum laden mass...

... is a value specified by the manufacturer which the vehicle must not exceed. Based on the layout, ERIBA specifies an upper limit for the vehicle, which can vary from layout to layout (e.g. 1,600 kg, 1,700 kg). You will find the corresponding specification for each layout in the technical data.

	Touring 530	Touring 540
Axle	Mono	Mono
Tyre size	185 R14 C 102 L	185 R14 C 102 L
Overall length (cm)	599	599
Body length (exterior), approx. cm	471	471
Gesamtbreite (cm)	210	210
Interior length (cm)	466	466
Interior width (cm)	200	200
Overall height (cm)	227	227
Roof type	Pop-up roof	Pop-up roof
Headroom in living area (cm)	195	195
A-measurement awning (cm)	730	730
Mass in running order (kg) (+/-5%)*	990 (941 - 1040)*	997 (947 - 1047)*
Manufacturer-specified mass for optional equipment (kg)*	223/3130	211/3010
Technically permissible maximum laden mass (kg)*	1300/14000	1300/1400 🔿

## 2. The mass in running order...

... consists – to put it simply – of the basic vehicle with standard equipment. It is legally permissible and possible for the mass in running order of your vehicle to deviate from the nominal value specified in the sales documents. The permissible tolerance is  $\pm$  5%. The permissible range in kilograms is stated in parentheses after the mass in running order. In order to provide you with full transparency regarding possible weight deviations, ERIBA weighs each vehicle at the end of the line and informs your trading partner of the weighing result of your vehicle for forwarding to you. For detailed explanations of the mass in running order and the effect of tolerances on the minimum payload and the payload , please refer to the "Legal notes" section.

# IMPORTANT INFORMATION REGARDING THE SELECTION OF YOUR CARAVAN


#### 3. The standard sleeping berths...

... are specified by the manufacturer and shown in the sales documents. The number of sleeping berths can be increased (e.g. 3-person bunk bed) or, if required, reduced (e.g. sideboard instead of seating group) by selecting optional equipment.

	Touring 530	Touring 540
Axle	Mono	Mono
Berths	3	3
Manufacturer-specified mass for optional equipment (kg)*	223/3130	211/3010

## 4. The mass for optional equipment specified by the manufacturer...

... is a value set for each layout by ERIBA for the maximum mass of optional equipment that can be ordered. This limit is intended to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of the vehicles delivered by ERIBA. If, in exceptional cases, the weighing at the end of the line nevertheless shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, we will check together with your trading partner and you whether we should, for example, increase the load capacity of the vehicle or remove optional equipment before delivering the vehicle. For detailed explanations of the effects of the tolerances on the minimum payload and the payload, please refer to the "Legal notes" section.



#### 5. The additional weight of optional equipment and packages...

... increases the actual mass of the vehicle (= mass in running order plus selected optional equipment) and reduces the payload. The specified value shows the additional weight compared to the standard equipment of the respective layout. The total weight of the selected packages and optional equipment must not exceed the mass for optional equipment specified by the manufacturer.

# PRICES AND TECHNICAL DATA ERIBA TOURING









	Touring 310	Touring 320	Touring 420	Touring 430
Price £	24,480	25,360	26,690	26,690
Axle	Mono	Mono	Mono	Mono
Tire size	185 R14 C 102 L	185 R14 C 102 L	185 R14 C 102 L	185 R14 C 102 L
Length / Width / Height (cm)	506/200/227	506/200/227	554/200/227	554/200/227
Body length (exterior) (cm)	371	371	421	421
Interior length (cm)	366	366	416	416
Interior width (cm)	190	190	190	190
Roof type	Pop-up roof	Pop-up roof	Pop-up roof	Pop-up roof
Headroom in living area (cm)	195	195	195	195
A-measurement awning (cm)	635	635	700	700
Mass in running order (-/+ 5%) (kg)*	810 (770 - 851)*	854 (811 - 897)*	933 (886 - 980)*	940 (893 - 987)*
Manufacturer-specified mass for optional equipment (kg)*	102	53	64	67
Technically permissible maximum laden mass (kg)*	1000	1000	1100	1100
Maximum nose weight (kg)	100	100	100	100
Insulation floor / side walls / roof (mm)	35/28/26	35/28/26	35/28/26	35/28/26
Bed dimension: Front bed, L x W (cm)	188 x 73 - 53 / 188 x 73 O			188 x 73 - 60
Bed dimension: Rear bed, L x W (cm)	188 x 140	188 x 140	190 x 188	188 x 140
Bed dimension: Sleeping roof, L x W (cm)				
Berths	3	2	2	3
Burner hob	2	2	2	2
Refrigerator volume incl. freezer (I)	81 (10)	81 (10)	81 (10)	81 (10)
Heating type	Gas heating, 3.5 kW	Gas heating, 3.5 kW	Gas heating, 3.5 kW	Gas heating, 3.5 kW
Gas bottle storage (Filling weight)	2x 5kg	2x 5kg	2x 5kg	2x 5kg
Fresh water supply (I)	30	30	30	30
Warm water tank (I)	Electric boiler 510	Electric boiler 5 I O	Electric boiler 510	Electric boiler 510
Sockets: 230 V	2-40	3-50	3-50	3-50
Sockets: USB	4-60	4-60	4-60	4-60

Standard equipmentOn request (no extra cost)

O Optional equipment

Not possible

▲ Mandatory

□ Available in package

 $\triangle$  Not known at the time of publication



The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to  $\pm\,5\%$  of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which ERIBA specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles

delivered by ERIBA. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

# PRICES AND TECHNICAL DATA ERIBA TOURING











	Touring 530	Touring 540	Touring 542	Touring 550	Touring 560
Price £	27,580	28,290	28,290	28,470	28,470
Axle	Mono	Mono	Mono	Mono	Mono
Tire size	185 R14 C 102 L	185 R14 C 102 L			
Length / Width / Height (cm)	599 / 210 / 227	599 / 210 / 227	599 / 210 / 227	599 / 210 / 227	599/210/227
Body length (exterior) (cm)	471	471	471	471	471
Interior length (cm)	466	466	466	466	466
Interior width (cm)	200	200	200	200	200
Roof type	Pop-up roof	Pop-up roof	Pop-up roof	Pop-up roof	Pop-up roof
Headroom in living area (cm)	195	195	195	195	195
A-measurement awning (cm)	730	730	730	730	730
Mass in running order (-/+ 5%) (kg)*	996 (946 - 1046)*	1003 (953 - 1053)*	1001 (951 - 1051)*	1013 (962 - 1064)*	1063 (1010 - 1116)*
Manufacturer-specified mass for optional equipment (kg)*	206	199	201	179	129
Technically permissible maximum laden mass (kg)*	1300	1300	1300	1300	1300
Maximum nose weight (kg)	100	100	100	100	100
Insulation floor / side walls / roof (mm)	35/28/26	35/28/26	35/28/26	35/28/26	35/28/26
Bed dimension: Front bed, L x W (cm)	198 x 98 - 94	198 x 73 - 60	198 x 73 - 60	180 x 78 - 100 / 180 x 100 O	180 x 74 / 180 x 72
Bed dimension: Rear bed, L x W (cm)	198 x 140	190 x 198	190 x 198	198 x 140	198 x 140
Bed dimension: Sleeping roof, L x W (cm)					
Berths	3	3	3	3-40	4
Burner hob	2	2	2	2	2
Refrigerator volume incl. freezer (I)	81 (10)	81 (10)	81 (10)	81 (10)	133 (12)
Heating type	Gas heating, 3.5 kW	Gas heating, 3.5 kW			
Gas bottle storage (Filling weight)	2x 5kg	2x 5kg	2x 5kg	2x 5kg	2x 5kg
Fresh water supply (I)	30	30	30	30	30
Warm water tank (I)	Electric boiler 510	Electric boiler 510	Electric boiler 510	Electric boiler 510	Electric boiler 510
Sockets: 230 V	3-50	3-50	3-50	3-50	3-50
Sockets: USB	4-60	4-60	4-60	4-60	6-80

Standard equipmentOn request (no extra cost)

O Optional equipment

Not possible

▲ Mandatory

□ Available in package

 $\Delta$ Not known at the time of publication



The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to  $\pm\,5\%$  of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which ERIBA specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles

delivered by ERIBA. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

# PRICES AND TECHNICAL DATA ERIBA TOURING







	Touring 620	Touring 630	Touring 642
Price £	33,210	33,210	33,210
Axle	Mono	Mono	Mono
Tire size	185 R14 C 102 L	185 R14 C 102 L	185 R14 C 102 L
Length / Width / Height (cm)	646 / 219 / 227	646 / 219 / 227	646 / 219 / 227
Body length (exterior) (cm)	523	523	523
Interior length (cm)	511	511	511
Interior width (cm)	210	210	210
Roof type	Sleeping roof O	Sleeping roof O	Sleeping roof O
Headroom in living area (cm)	195	195	195
A-measurement awning (cm)	775	775	775
Mass in running order (-/+ 5%) (kg)*	1300 (1235 - 1365)*	1225 (1164 - 1286)*	1240 (1178 - 1302)*
Manufacturer-specified mass for optional equipment (kg)*	87	52	37
Technically permissible maximum laden mass (kg)*	1500	1400	1400
Maximum nose weight (kg)	100	100	100
Insulation floor / side walls / roof (mm)	35/28/26	35/28/26	35/28/26
Bed dimension: Front bed, L x W (cm)		205 x 94 - 90	205 x 94 - 83
Bed dimension: Rear bed, L x W (cm)	210 - 200 x 205	205 x 155	210 - 200 x 205
Bed dimension: Sleeping roof, L x W (cm)	200 x 138 O	200 x 138 O	200 x 138 O
Berths	2-40	3-50	3-50
Burner hob	2	2	2
Refrigerator volume incl. freezer (I)	133 (12)	133 (12)	133 (12)
Heating type	Gas heating, integrated boiler, 4 kW	Gas heating, integrated boiler, 4 kW	Gas heating, integrated boiler, 4 kW
Gas bottle storage (Filling weight)	2x 5kg	2x 5kg	2x 5kg
Fresh water supply (I)	45	45	45
Warm water tank (I)	Gas boiler 10 I	Gas boiler 10 I	Gas boiler 10 I
Sockets: 230 V	3-50	3-50	3-50
Sockets: USB	4-60	4-60	4-60

 Standard equipment ◆On request (no extra cost) O Optional equipment - Not possible

▲ Mandatory ☐ Available in package

△Not known at the time of publication



The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to  $\pm\,5\%$  of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which ERIBA specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles

delivered by ERIBA. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

# STANDARD EQUIPMENT ERIBA TOURING

	Touring 310	Touring 320	Touring 420	Touring 430	Touring 530	Touring 540	Touring 542	Touring 550	Touring 560	Touring 620	Touring 630	Touring 642
Chassis												
Fully galvanized tubular frame chassis with trailing arm axle and fully galvanized axle body	•	•	•	•	•	•	•	•	•	•	•	•
Extra long drawbar for more driving stability and enough space for a drawbar carrier	•	•	•	•	•	•	•	•	•	•	•	•
Cover for drawbar	•	•	•	•	•	•	•	•	•	•	•	•
Galvanized plug-in corner steadies	•	•	•	•	•	•	•	•	•	•	•	•
Anti-sway coupling with friction linings and one-hand operation (suppresses rolling and pitching movements)	•	•	•	•	•	•	•	•	•	•	•	•
Automatic brake adjustment (short braking distances and more driving comfort due to gentle braking without jerky acceleration)	•	•	•	•	•	•	•	•	•	•	•	•
Body												
Side walls, front and rear in mini hammer finish, Colour: Carrara white												
Pop-top roof, GRP for reduced hail sensitivity, Colour: Carrara white												
Pop-top roof tent fabric with ventilation and integrated mosquito net												
Rear lights in LED												
One-piece entrance door with storage shelf and storage net on the inside of the door												
Extendable entrance step  Windows with magnite not blockent blind and ventilation adjustment												
Windows with mosquito net, blackout blind and ventilation adjustment												
All windows tinted and with double acrylic glazing  Front flap with parallelogram opening and low loading edge												
Insulated gas bottle compartment with robust aluminum checker plate floor and low loading												
edge	•	•	•	•	•	•	•	•		•	•	•
Integrated front storage compartment for 2 x 5 kg gas bottles		•					•			•	•	
Stable grab handles at the front, continuous manoeuvring handle at the rear	•	•	•	•	•	•	•	•	•	•	•	•
Outfitting	Ť		Ť	Ť				Ť		Ť		
Shoe flap at the entrance	•		_	•	•	•	•		_	_	•	<b>→</b>
Spacious wardrobe with laundry compartment (height adjustable shelf)		•	•	•		•	•	•		•	•	
Fabrics & Furniture finishes												
Furniture finish: Biarritz	•	•	•	•	•	•	•	•	•	•	•	•
Living and bedroom + lighting												
12 V LED lighting	•	•	•	•	•	•	•	•	•	•	•	•
LED awning light with motion detector	•	•	•	•	•	•	•	•	•	•	•	•
Illuminated overhead locker corners	•	•	•	•		•	•	•	•	•	•	
One night light with USB connection for each bunk bed	_	_	_	_	_	_	_	_	•	_	_	_
One ERIBA multifunctional rechargeable light with active holder in the living room and two active holders in the bedroom	•	•	•	•	•	•	•	•	•	•	•	•
All fixed beds with cold foam mattresses with removable and washable mattress covers	•	_	_	•	•	_	•	•	•	_	•	•
Wooden bed slats under all fixed beds, foldable	•	_	_	•		_	•		_	_	•	
Bunk bed in the front, lower bunk bed folds up ideal for bulky luggage	_	_	_	_	_	_	_	_	•	_	_	_
Bed conversion of seating group possible	•	•	•	•	•	•	•	•	•	•	•	•
One utensil bag, matching the color of the living room	•	•	_	•	_	_	•	_	_	•	•	<u>•</u>
Kitchen	_	_	_	_	_	_	_	_	_	_	_	
2-burner hob with glass cover		•	_					_	_	_	•	
Glass splash guard		_								_		
Foldable kitchen worktop extension Kitchen drawer with Servo Soft feature		_	_							_		
Multifunctional container in the kitchen, matching the color of the living room												
81 l absorber fridge incl. freezer compartment (energy source gas, 12 V or 230 V)												
133 I absorber fridge incl. freezer compartment (energy source gas, 12 V or 230 V)							_					
133 I compressor fridge incl. freezer compartment (energy source 12 V or 230 V)	_	_	_	_	_	_	_	_				
Bathroom												
Opening bathroom window, frosted glass, with blackout blind and mosquito net	_	•	•	•	•	•	•	•	•	•	•	•
Bench toilet with level indicator and cassette on wheels as well as own rinsing tank	_	•		•	•		•		•	_	_	_
Bench toilet with level indicator and cassette on wheels Shower tray	_	-	_	-	-	-	-	-	-	•	•	•
Height-adjustable mirror	_	•	•	•	•	•	•	•	•	•	•	
Installation & Technology												
Smoke detector	•	•	•	•	•	•	•	•	•	•	•	•
13-pin Jaeger connector	•	•	•	•	•	•	•	•	•	•	•	•
Caravan power supply with automatic switchover to towing vehicle		•		•		•	•					
230 V socket in kitchen as well as living room	•	_	_	_	_	_	_	_	_	_	_	_
230 V socket in kitchen, sideboard as well as living room	_	•		_	_	_	-	_	_	_	_	_
230 V socket in seating group, kitchen as well as living room	-	-	-	•	•	•	•	•	•	•	•	•

	Touring 310	Touring 320	Touring 420	Touring 430	Touring 530	Touring 540	Touring 542	Touring 550	Touring 560	Touring 620	Touring 630	Touring 642
2 x USB-Doppelsteckdose im Schlafbereich inkl. Handytasche	•	•	•	•	•	•	•	•	•	•	•	•
ERIBA Connect: Control and monitor important components and features of your vehicle conveniently with the ERIBA Connect app - anytime, anywhere. <sup>1) 2)</sup>	•	•	•	•	•	•	•	•	•	•	•	•
Frost-proof water installation for winter operation	•	•	•	•	•	•	•	•	•	•	•	•
30 I fresh water tank	•	•	•	•	•	•	•	•	•	_	_	_
45 I fresh water tank (fixed tank filled from the outside)	_	_	_	_	_	_	_	_	_	•	•	•
Gas heating Truma S 3004 (3,500 W)	•	•	•	•	•	•	•	•	•	_	_	_
Gas heating Truma Combi 4 with integrated 10 I warm water boiler, heating levels (2,000/4,000 W)	_	_	_	_	_	_	_	_	_	•	•	•
Packages												
Equipment line Legend	•	•	•	•		•	•	•	•	•	•	•

# **EQUIPMENT LINES ERIBA TOURING**

	Equipment line Legend	Urban equipment line (exterior colour White Silver)	Nugget Gold Edition	Tango Red Edition	Harbour Blue Edition
Furniture finish: Biarritz	•	_	_	_	_
Side walls, front and rear in mini hammer finish, Colour: Carrara white	•	_	_	_	_
Sidewalls, front and rear in smooth sheet metal, Colour: White Silver	0	•	-	_	_
Side walls, front and rear in smooth alloy skin, Color: Crystal silver	0	_	_	_	_
Ambient light XL with indirect light above the overhead lockers and two additional ERIBA multifunctional rechargeable lights	0	•	•	•	•
2 pillows with pillow cases	0	•	•	•	•
Chrome package with chrome exterior components and chrome wheel arch as well as retro design rear lights	0	0	•	•	•
Alloy rims, ERIBA 5-star double spoke, anthracite	0	0	•	•	•
Stainless steel bumper	0	0	•	•	•
Stone guard protection	0	0	•	•	•
Furniture finish: Tindari	_	•	•	•	•
Fabric combination: Memphis for equipment line Urban	_	<b>•</b>	•	_	_
Fabric combination: Tulsa for equipment line Urban	-	•	-	•	_
Fabric combination: Orlando for equipment line Urban	_	0	_	_	•
Side walls, front and rear in smooth alloy skin, Color: White Nugget Gold	-	-	•	-	-
Side walls, front and rear in smooth alloy skin, Color: White Tango Red	_	_	_	•	_
Side walls, front and rear in smooth alloy skin, Color: White Harbour Blue	-	-	-	-	•
Excess weight Equipment line (kg)*	0	6	15	15	15
Package price £		1,320	3,270	3,270	3,270

 Standard equipment On request (no extra cost) O Optional equipment — Not possible

▲ Mandatory  $\square$  Available in package

 $\triangle$ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and vertice and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed value determined for

# PACKS ERIBA TOURING

Package	Comfort package Touring 310	Comfort package
Mosquito net door (entire door height), user-friendly thanks to lateral guidance	•	•
Comfort pleated blind	•	•
Socket package (2 x 230 V sockets and 1 x Twin USB socket)	•	•
Waste bin integrated in entrance door	•	•
Sink cover with chopping board for stainless steel sink	•	•
Additional magnifying mirror with magnetic holder	_	•
Package price £	1,100	1,140
Package price £	840	880
You save £	260	260
Additional weight*	7.5	8.5

Package	Design package I	Design package II
Stainless steel bumper	•	•
Chrome package with chrome exterior components and chrome wheel arch as well as retro design rear lights		•
Stone guard protection	•	•
Alloy rims, ERIBA 5-star double spoke, anthracite	•	_
Wheel covers in chrome	_	•
Package price £	1,930	1,440
Package price £	1,320	1,060
You save £	610	380
Additional weight*	9	10

Package	Multimedia Package I	Multimedia Package II
Radio Entertainment System: DAB, Audio Streaming via Wi-Fi, Bluetooth, Apple AirPlay & Digital Signal Processing		•
Speaker with wiring	•	•
DAB & DSP module	•	•
FM / AM / DAB antenna incl. splitter and wiring (internal)	•	•
22" LED TV incl. DVD player, Triple Tuner, DVBT-2 reception and base	_	•
Universal awning socket (230 V, 12 V, TV) incl. interior TV pre-wiring	_	•
Package price £	1,110	1,770
Additional weight*	12	17

Standard equipmentOn request (no extra cost)

O Optional equipment

Not possible

▲ Mandatory

□ Available in package

 $\triangle$ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed value determined for

# **OPTIONAL EXTRAS ERIBA TOURING**

		Price £	Touring 310	Touring 320	Touring 420	Touring 430	Touring 530	Touring 540	Touring 542	Touring 550	Touring 560	Touring 620	Touring 630	Touring 642	Additional weig
Chassis			_	_											
V201101050	Uprating to 1,050 kg	350		0	_	_	_	_	_	_	_	_	_	_	0
V201001100	Uprating to 1,100 kg	350	0	0	_	_	_	_	_	_	_	_	_	_	0
V201101200	Uprating to 1,200 kg	400	0	0	0	0	_	_	_	_	_	_	_	_	0
V201101300	Uprating to 1,300 kg	400	_	_	O	0	_	_	_	_	_	_	_	_	0
V201101400	Uprating to 1,400 kg	400	_	_	_	_	0	0	0	0	0	_	_	_	24
V201101500	Uprating to 1,500 kg	400	_	_	_		0	0	0	0	0	_	_	_	24
V201101500	Uprating to 1,500 kg	400	_	_	_	_	_	_	_	_	_	_	0	0	0
V201101600	Uprating to 1,600 kg	400	_	_	_	_	_	_	_	_	_	0	0	0	0
V2029512	Jockey wheel with integrated load indicator	90	0	0	0	0	0	0	0	0	0	0	0	0	0
V30630J	Stone guard protection	200	0	0	0	0	0	0	0	0	0	0	0	0	2
V2069110	Wheel covers in chrome <sup>3) 4)</sup>	60													1
V2037510	Alloy rims, ERIBA 5-star double spoke, anthracite <sup>5) 6)</sup>	550	0	0	0	0	0	0	0	0	0	0	0	0	0
V2035111	Spare wheel on steel rim with bracket (underfloor), lockable 6)5)	280	0	0	0	0	0	0	0	0	0	0	0	0	20
V2035143	Spare wheel on alloy rim incl. underfloor bracket, lockable <sup>5) 6)</sup>	420	0	0	0	0	0	0	0	0	0	0	0	0	20
V20080J	Anti-sway system: By gentle braking, the caravan pulls itself back on track	880	0	0	0	0	0	0	0	0	0	0	0	0	5
V2071010	Reich Mover Easydriver Pro 2.0 (electric manoeuvring aid, engage / disengage) with remote control for mono-axle <sup>7) 8)</sup>	2,030	0	0	0	0	0	0	0	0	0	0	0	0	31
Body															
V3003020	Sidewalls, front and rear in smooth sheet metal, Colour: White Silver	1,020	0	0	0	0	0	0	0	0	0	0	0	0	5
V3003011	Side walls, front and rear in smooth alloy skin, Color: Crystal silver	1,020	0	0	0	0	0	0	0	0	0	0	0	0	5
V3016010	Sleeping roof with Maxi double bed 9)	3,540	_	_	_	_	_	_	_	_	_	0	0	0	35
V2027610	Stainless steel bumper	590	0	0	0	0	0	0	0	0	0	0	0	0	5
V80095J	Chrome package with chrome exterior components and chrome wheel arch as well as retro design rear lights	590	0	0	0	0	0	0	0	0	0	0	0	0	2
V30300J	Mosquito net door (entire door height), user-friendly thanks to lateral guidance	300													5
V30010J	Waste bin integrated in entrance door	80													2
V3028011	Window with blackout blind and mosquito net, LH side, rear	320	0	•	•	0	0	•	•	0	•	•	0	•	1
V30600111	External storage flap, 55 x 29 cm, RH side, rear <sup>10)</sup>	280	0	0	_	_	_	_	_	_	_	_	_	_	1
V30590104	External storage flap, 55 x 29 cm, LH side, rear <sup>10)</sup>	280	0	_	_	_	_	_	_	_	_	_	_	_	1
V30600112	External storage flap, 55 x 35 cm, RH side, rear <sup>11)</sup>	280	0	_	_	_	_	_	_	_	_	_	_	_	1
V30590105	External storage flap, 55 x 35 cm, LH side, rear <sup>11)</sup>	280	0	_	_	_	_	_	_	_	_	_	_	_	1
V30600110	External storage flap, 80 x 29 cm, RH side, rear <sup>10)</sup>	330	_	_	0	0	0	0	_	0	0	0	_	_	1.5
V30590112	External storage flap, 80 x 29 cm, LH side, rear <sup>12) 10)</sup>	330	_	_	_	0	0	0	_	0	_	_	_	_	1.5
V30600109	External storage flap, 80 x 35 cm, RH side, rear <sup>11)</sup>	330	_	_	_	0	0	_	0	0	_	_	0	0	1.5
V30590107	External storage flap, 80 x 35 cm, LH side, rear <sup>11) 12)</sup>	330	_	_	_	0	0	_	0	0	_	_	0	0	1.5
V3037012	Rear flap, 80 x 35 cm <sup>13)</sup>	330	0	0	0	0	0	0	_	0	0	_	_	_	1.5
V3037013	Rear flap, 105 cm x 39 cm <sup>11)</sup>	430	_	_	_		0	_	0	0	_	_	0	0	1.5
V30522107	Roof awning Thule Omnistor 6300 with integrated LED- lighting and adapter, white housing, 280 x 200 cm (expandable with privacy screen, wind and rain protection)	1,200	_	_	0	0	-	-	-	_	_	_	_	_	32
V30522120	Roof awning Thule Omnistor 6300 with integrated LED- lighting and adapter, white housing, 325 x 250 cm (expandable with privacy screen, wind and rain protection)	1,320	_	_	_	_	0	0	0	_	0	_	_	_	36
V30522130	Roof awning Thule Omnistor 6300 with integrated LED- lighting and adapter, white housing, 350 x 250 cm (expandable with privacy screen, wind and rain protection)	1,380	_	_	_	_	_	_	_	_	-	0	0	0	39.5
V30220J	Drawbar bike carrier Thule caravan Superb for 2 bicycles, max. load 50 kg $^{14)}$	490	0	0	0	0	0	0	0	0	0	0	0	0	16



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed value determined for

Fabrics & Furn	iture finiches	Price £	Touring 310	Touring 320	Touring 420	Touring 430	Touring 530	Touring 540	Touring 542	Touring 550	Touring 560	Touring 620	Touring 630	Touring 642	Additional weight*
			_	$\overline{}$	$\overline{}$	$\overline{}$	_	_	$\overline{}$	$\overline{}$	$\overline{}$	$\overline{}$	_	$\overline{}$	
V100704111	Fabric combination: Hampton for equipment line Legend		<b>•</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	•	<b>*</b>	•	0
V100704098	Fabric combination: Ventura for equipment line Legend		•	•		•	•	•		•		•		•	0
V100704114	Fabric combination: Memphis for equipment line Urban		<b>•</b>	<b>*</b>	•	•	<b>*</b>	•	•	•	•	•	~	•	0
V100704116	Fabric combination: Tulsa for equipment line Urban	24.0	•	•	•	•	•	•	•	•	•	•	•	•	0
V100704119	Fabric combination: Orlando for equipment line Urban	210	0	0	0	0	0	0	0	0	0	0	0	0	0
V602104009	Carpet: Samona	210	0	0	0	0	0	0	0	0	0	0	0	0	8
V602104011	Carpet: Laguna	210	0	0	0	0	0	0	0	0	0	0	0	0	8
Living and bed				_	_	_	_	_		_	_				
V4019511 V4019512	Seating group in the rear with opening window, LH side Longitudinal single beds with pull-out bed slats and free-	550 550	0		0	0	0	0	_	0	_	_	_	_	32
	standing table <sup>15)</sup>							_							
V6006012	Spring-core mattress for fix bed(s) <sup>16) 17)</sup>	280	0	_	0	0	0	0	0	0	_	0	0	0	10
V4047510	Seat base enlargement incl. bed conversion and additional cushion	200	0	-	-	-	-	-	-	0	-	-	-	-	3
V6030010	Comfort cushion for front seating group (supplied loose)	260	0	_	_	0	0	0	0	0	_		0	0	1
V60260J	Additional cushion between the longitudinal single beds	120	_	_	_	_	_	_	0	_	_	_	_	0	1
V3029512	Comfort pleated blind	430													0
V60170J	ERIBA Original fitted sheets, Color: gray <sup>11)</sup>	110	0	_	_	0	0	_	0	0	_	_	0	0	2
V60030J	2 pillows with pillow cases	80	0	0	0	0	0	0	0	0	0	0	0	0	0.5
V4034011	Sleep comfort system <sup>13)</sup>	260	_	0	0	_	0	0	_	0	0	_	_	_	0
V5013612	Ambient light XL with indirect light above the overhead lockers and two additional ERIBA multifunctional rechargeable lights	430	0	0	0	0	0	0	0	0	0	0	0	0	1
Kitchen															
Kitchen V4047010	Sink cover with chopping board for stainless steel sink	60													0
	Cooker- / oven combination	60 700		0	0	_ _			_ _	_ _	0	0	0	0	0 29
V4047010			_		_	_ _ _ 0	_ _ _ 0	_ _ 0	_ _ _	_ _ _ 0					
V4047010 V4020012	Cooker- / oven combination 3-burner cooker with ignition fuse, electric ignition, flame	700	_	0	0	_	_	_	_	_	0	0	0	0	29
V4047010 V4020012 V4028011	Cooker- / oven combination 3-burner cooker with ignition fuse, electric ignition, flame	700	0	0	0	_	_	_	_	_	0	0	0	0	29
V4047010 V4020012 V4028011 Bathroom V40120J V4051510	Cooker- / oven combination 3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover  Shower equipment with shower head and curtain <sup>9)</sup> Additional magnifying mirror with magnetic holder	700 140	0	0	0	0	0	0	0	0	0	0	0	0	29
V4047010 V4020012 V4028011 Bathroom V40120J	Cooker- / oven combination  3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover  Shower equipment with shower head and curtain <sup>9)</sup> Additional magnifying mirror with magnetic holder echnology	700 140 200	0	0	0	0	0	- 0	0	- 0	0	0	0 0	0	29 0 3
V4047010 V4020012 V4028011 Bathroom V40120J V4051510	Cooker- / oven combination 3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover  Shower equipment with shower head and curtain <sup>9)</sup> Additional magnifying mirror with magnetic holder	700 140 200	0	0	0	0	0	- 0	0	- 0	0	0	0 0	0	29 0 3
V4047010 V4020012 V4028011 Bathroom V40120J V4051510 Installation & T	Cooker- / oven combination 3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover  Shower equipment with shower head and curtain <sup>9)</sup> Additional magnifying mirror with magnetic holder echnology ERIBA Connect starter package: tyre pressure sensors, temperature sensor (freely positionable), contact sensor	700 140 200 40	- 0 - - 0	0 0	0 0	0	0	0	0	0	0 0	0 0	0 0	0 0	29 0 3 1
V4047010 V4020012 V4028011 Bathroom V40120J V4051510 Installation & T	Cooker- / oven combination  3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover  Shower equipment with shower head and curtain <sup>9)</sup> Additional magnifying mirror with magnetic holder echnology  ERIBA Connect starter package: tyre pressure sensors, temperature sensor (freely positionable), contact sensor (freely positionable) <sup>18)</sup>	700 140 200 40	- 0 - - 0	0 0 0	0 0 0	- 0 0 0	- 0 0 0	- 0 0 0	- 0 0 0	- 0 0 0	0 0 0	0 0 0	0 0 0 0	0 0	29 0 3 1
V4047010 V4020012 V4028011 Bathroom V40120J V4051510 Installation & T V5028711 V50110J	Cooker- / oven combination  3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover  Shower equipment with shower head and curtain <sup>9)</sup> Additional magnifying mirror with magnetic holder echnology  ERIBA Connect starter package: tyre pressure sensors, temperature sensor (freely positionable), contact sensor (freely positionable) <sup>18)</sup> Universal awning socket (230 V, 12 V, TV) <sup>19)</sup>	700 140 200 40 170 250	- 0 - - 0 0	0 0 0 0	0 0 0 0	- O O O	- 0 0 0 0	0 0 0	- 0 0 0 0	- O O O	0 0 0 0	0 0 0	0 0 0 0	0 0 0 0	29 0 3 1
V4047010 V4020012 V4028011 Bathroom V40120J V4051510 Installation & T V5028711 V50110J V50091J	Cooker- / oven combination  3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover  Shower equipment with shower head and curtain <sup>9)</sup> Additional magnifying mirror with magnetic holder  echnology  ERIBA Connect starter package: tyre pressure sensors, temperature sensor (freely positionable), contact sensor (freely positionable) <sup>18)</sup> Universal awning socket (230 V, 12 V, TV) <sup>19)</sup> External pump  Socket package (2 x 230 V sockets and 1 x Twin USB socket)  Warm air blower, electric fan (12 V) <sup>20)</sup>	700 140 200 40 170 250 280	0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0	0 0 0 0	- 0 0 0 0	- 0 0 0 0	- 0 0 0 0	- 0 0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0 0 0	0 0 0 0	29 0 3 1 0
V4047010 V4020012 V4028011 Bathroom V40120J V4051510 Installation & T V5028711 V50110J V50091J V80288J	Cooker- / oven combination 3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover  Shower equipment with shower head and curtain <sup>9)</sup> Additional magnifying mirror with magnetic holder echnology  ERIBA Connect starter package: tyre pressure sensors, temperature sensor (freely positionable), contact sensor (freely positionable) <sup>18)</sup> Universal awning socket (230 V, 12 V, TV) <sup>19)</sup> External pump Socket package (2 x 230 V sockets and 1 x Twin USB socket)	700 140 200 40 170 250 280 230	- 0 - - 0 0 0	0 0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	- 0 0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0 0 0 0	0 0 0 0	29 0 3 1 0 1 1 0.5
V4047010 V4020012 V4028011 Bathroom V40120J V4051510 Installation & T V5028711 V50110J V50091J V80288J V5068510	Cooker- / oven combination  3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover  Shower equipment with shower head and curtain <sup>9)</sup> Additional magnifying mirror with magnetic holder  echnology  ERIBA Connect starter package: tyre pressure sensors, temperature sensor (freely positionable), contact sensor (freely positionable) <sup>18)</sup> Universal awning socket (230 V, 12 V, TV) <sup>19)</sup> External pump  Socket package (2 x 230 V sockets and 1 x Twin USB socket)  Warm air blower, electric fan (12 V) <sup>20)</sup>	700 140 200 40 170 250 280 230 300	- 0 - - 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0000	0 0 0 0 0 0	- O O O O O O O	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0	0 0 0 0 0 0	0 0 0 0	29 0 3 1 0 1 0.5 3
V4047010 V4020012 V4028011 Bathroom V40120J V4051510 Installation & T V5028711 V50110J V50091J V80288J V5068510 V5068511	Cooker- / oven combination  3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover  Shower equipment with shower head and curtain <sup>9)</sup> Additional magnifying mirror with magnetic holder echnology  ERIBA Connect starter package: tyre pressure sensors, temperature sensor (freely positionable), contact sensor (freely positionable) <sup>18)</sup> Universal awning socket (230 V, 12 V, TV) <sup>19)</sup> External pump  Socket package (2 x 230 V sockets and 1 x Twin USB socket) Warm air blower, electric fan (12 V) <sup>20)</sup> Warm air blower, electric fan (230 V) <sup>20)</sup> Electric auxiliary heating for gas heating Truma Ultraheat	700 140 200 40 170 250 280 230 300	- o	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	- o o o o o o o o	- о о о о о о о о о о о о о о о о о о о	- o o o o o o o o o o o o o o o o o o o	- o o o o o o o o o	- о о о о о о о о о о о о о о о о о о о	0 0 0 0 0 0 0 0	0 0 0 0	0 0 0 0 0 0	0 0 0 0	29 0 3 1 0 1 0.5 3 3
V4047010 V4020012 V4028011 Bathroom V40120J V4051510 Installation & T V5028711 V50110J V50091J V80288J V5068510 V5068511 V5074010	Cooker- / oven combination  3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover  Shower equipment with shower head and curtain <sup>9)</sup> Additional magnifying mirror with magnetic holder  echnology  ERIBA Connect starter package: tyre pressure sensors, temperature sensor (freely positionable), contact sensor (freely positionable) <sup>18)</sup> Universal awning socket (230 V, 12 V, TV) <sup>19)</sup> External pump  Socket package (2 x 230 V sockets and 1 x Twin USB socket)  Warm air blower, electric fan (12 V) <sup>20)</sup> Warm air blower, electric fan (230 V) <sup>20)</sup> Electric auxiliary heating for gas heating Truma Ultraheat (three levels: 500 / 1,000 / 2,000 W)  Autonomy pack (95 Ah AGM habitation battery, charger with	700 140 200 40 170 250 280 230 300 310	- o o o o o o o	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 000000	0 0000000	0 0 0 0 0 0 0	- o o o o o o o	0 0000000	0 0 0 0 0 0 0 0	0 0 0 0	0 0 0 0 0 0	0 0 0 0	29 0 3 1 0 1 0.5 3 3
V4047010 V4020012 V4028011 Bathroom V40120J V4051510 Installation & T V5028711 V50110J V50091J V80288J V5068510 V5068511 V5074010 V5012012	Cooker- / oven combination  3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover  Shower equipment with shower head and curtain <sup>9)</sup> Additional magnifying mirror with magnetic holder  echnology  ERIBA Connect starter package: tyre pressure sensors, temperature sensor (freely positionable), contact sensor (freely positionable) <sup>18)</sup> Universal awning socket (230 V, 12 V, TV) <sup>19)</sup> External pump  Socket package (2 x 230 V sockets and 1 x Twin USB socket)  Warm air blower, electric fan (12 V) <sup>20)</sup> Warm air blower, electric fan (230 V) <sup>20)</sup> Electric auxiliary heating for gas heating Truma Ultraheat (three levels: 500 / 1,000 / 2,000 W)  Autonomy pack (95 Ah AGM habitation battery, charger with integrated booster and battery gauge) <sup>21)</sup> Battery (80 Ah lithium) incl. additional 18 A charge <sup>22) 21)</sup> Battery (80 Ah LFP) incl. additional charger 18 A instead of	700 140 200 40 170 250 280 230 300 310 510	0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0000000	0 000000	0 0000000	- o o o o o o o	0 000000	0 0 0 0 0 0 0 0	0 0 0 0	0 0 0 0 0 0	0 0 0 0	29 0 3 1 0 1 0.5 3 3 2
V4047010 V4020012 V4028011  Bathroom V40120J V4051510 Installation & T V5028711 V50110J V50091J V80288J V5068510 V5068511 V5074010 V5012012 V5012014 V5012014	Cooker- / oven combination  3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover  Shower equipment with shower head and curtain <sup>9)</sup> Additional magnifying mirror with magnetic holder echnology  ERIBA Connect starter package: tyre pressure sensors, temperature sensor (freely positionable), contact sensor (freely positionable) <sup>18)</sup> Universal awning socket (230 V, 12 V, TV) <sup>19)</sup> External pump  Socket package (2 x 230 V sockets and 1 x Twin USB socket) Warm air blower, electric fan (12 V) <sup>20)</sup> Warm air blower, electric fan (230 V) <sup>20)</sup> Electric auxiliary heating for gas heating Truma Ultraheat (three levels: 500 / 1,000 / 2,000 W)  Autonomy pack (95 Ah AGM habitation battery, charger with integrated booster and battery gauge) <sup>21)</sup> Battery (80 Ah Lithium) incl. additional 18 A charge <sup>22) 21)</sup> Battery (80 Ah LFP) incl. additional charger 18 A instead of 95 Ah AGM <sup>22) 21)</sup>	700 140 200 40 170 250 280 230 300 310 510 1,590 1,070	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0000000			0 0000000	0 00000000	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	29 0 3 1 0 1 0.5 3 3 2 30 11.5
V4047010 V4020012 V4028011  Bathroom V40120J V4051510 Installation & T V5028711 V50110J V50091J V80288J V5068510 V5068511 V5074010 V5012012 V5012014	Cooker- / oven combination  3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover  Shower equipment with shower head and curtain <sup>9)</sup> Additional magnifying mirror with magnetic holder  echnology  ERIBA Connect starter package: tyre pressure sensors, temperature sensor (freely positionable), contact sensor (freely positionable) <sup>18)</sup> Universal awning socket (230 V, 12 V, TV) <sup>19)</sup> External pump  Socket package (2 x 230 V sockets and 1 x Twin USB socket)  Warm air blower, electric fan (12 V) <sup>20)</sup> Warm air blower, electric fan (230 V) <sup>20)</sup> Electric auxiliary heating for gas heating Truma Ultraheat (three levels: 500 / 1,000 / 2,000 W)  Autonomy pack (95 Ah AGM habitation battery, charger with integrated booster and battery gauge) <sup>21)</sup> Battery (80 Ah LFP) incl. additional 18 A charge <sup>22) 21)</sup> Battery (160 Ah LFP) incl. additional charger 18 A instead of 95 Ah AGM <sup>22) 21)</sup> Battery (160 Ah LFP) incl. additional charger 18 A instead of	700 140 200 40 170 250 280 230 300 310 510 1,590	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0000000	0 0000000	0 0000000	- o o o o o o o	0 0000000	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	29 0 3 1 0 1 0.5 3 3 2 30 11.5
V4047010 V4020012 V4028011  Bathroom V40120J V4051510 Installation & T V5028711 V50110J V50091J V80288J V5068510 V5068511 V5074010 V5012012 V5012014 V5012014 V5012015	Cooker- / oven combination  3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover  Shower equipment with shower head and curtain <sup>9)</sup> Additional magnifying mirror with magnetic holder echnology  ERIBA Connect starter package: tyre pressure sensors, temperature sensor (freely positionable), contact sensor (freely positionable) <sup>18)</sup> Universal awning socket (230 V, 12 V, TV) <sup>19)</sup> External pump  Socket package (2 x 230 V sockets and 1 x Twin USB socket) Warm air blower, electric fan (12 V) <sup>20)</sup> Warm air blower, electric fan (230 V) <sup>20)</sup> Electric auxiliary heating for gas heating Truma Ultraheat (three levels: 500 / 1,000 / 2,000 W) Autonomy pack (95 Ah AGM habitation battery, charger with integrated booster and battery gauge) <sup>21)</sup> Battery (80 Ah LFP) incl. additional charger 18 A instead of 95 Ah AGM <sup>22) 21)</sup> Battery (160 Ah LFP) incl. additional charger 18 A <sup>22) 21)</sup>	700 140 200 40 170 250 280 230 300 310 510 1,590 1,070 3,100	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0000000			0 0000000	0 00000000	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	29 0 3 1 0 1 0.5 3 3 2 30 11.5 -18.5 21.5



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed value determined for

															ght'
		Price £	Touring 310	Touring 320	Touring 420	Touring 430	Touring 530	Touring 540	Touring 542	Touring 550	Touring 560	Touring 620	Touring 630	Touring 642	Additional weight
V5028011 water	eating Truma Combi 4 E with integrated 10 I warm boller, heating levels (2,000 / 4,000 W) and electric eating, heating levels (900 / 1,800 W)	500	-	_	-	_	-	_	_	_	-	0	0	0	0
V5025013	egulator with crash sensor for two gas bottles natic change if gas bottle is empty)	370	0	0	0	0	0	0	0	0	0	0	0	0	1
V50250J Gas fi	lter for automatic gas bottle changeover <sup>24)</sup>	170	0	0	0	0	0	0	0	0	0	0	0	0	0
V5020010 Electr	ric floor tempering in habitation area and central way	700	_	_	_	_	_	_	_	_	_	0	0	0	10
Packages															
V1014024 Urban	equipment line (exterior colour White Silver)	1,320	0	0	0	0	0	0	0	0	0	0	0	0	6.5
V3003032 Nugge	et Gold Edition	3,270	0	0	0	0	0	0	0	0	0	0	0	0	15.5
V3003033 Tango	Red Edition	3,270	0	0	0	0	0	0	0	0	0	0	0	0	15.5
V3003031 Harbo	our Blue Edition	3,270	0	0	0	0	0	0	0	0	0	0	0	0	15.5
V8013038 Comf	ort package Touring 310	840	0	_	_	_	_	_	_	_	_	_	_	_	7.5
V8013038 Comf	ort package	880	_	0	0	0	0	0	0	0	0	0	0	0	8.5
V80100133 Desig	n package I	1,320	0	0	0	0	0	0	0	0	0	0	0	0	9
V80100132 Desig	n package II <sup>3) 4)</sup>	1,060	0	0	0	0	0	0	0	0	0	0	0	0	10
V8020030 Multir	nedia Package I	1,110	0	0	0	0	0	0	0	0	0	0	0	0	12
V8020031 Multir	nedia Package II	1,770	0	0	0	0	0	0	0	0	0	0	0	0	17

 Standard equipment ♦On request (no extra cost) O Optional equipment — Not possible

▲ Mandatory

□ Available in package

 $\triangle$ Not known at the time of publication

Further information from p. 22



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed value determined for

# PRICES AND TECHNICAL DATA ERIBA FEELING AND NOVA LIGHT









	Feeling 425	Feeling 442	Feeling 470	Feeling 515
Price £	24,920	26,110	25,930	26,550
Axle	Mono	Mono	Mono	Mono
Tire size	185 R14 C 102 L	185 R14 C 102 L	185 R14 C 102 L	185 R14 C 102 L
Length / Width / Height (cm)	607 / 217 / 224	667 / 217 / 224	647 / 217 / 224	695/225/224
Body length (exterior) (cm)	486	546	526	578
Interior length (cm)	430	490	470	540
Interior width (cm)	200	200	200	208
Roof type	Sleeping roof O	Sleeping roof O	Sleeping roof O	Sleeping roof O
Headroom in living area (cm)	198	198	198	198
A-measurement awning (cm)	800	860	840	900
Mass in running order (-/+ 5%) (kg)*	1000 (950 - 1050)*	1070 (1017 - 1124)*	1060 (1007 - 1113)*	1180 (1121 - 1239)*
Manufacturer-specified mass for optional equipment (kg)*	81	105	117	72
Technically permissible maximum laden mass (kg)*	1200	1300	1300	1400
Maximum nose weight (kg)	100	100	100	100
Insulation floor / side walls / roof (mm)	41/30/30	41/30/30	41/30/30	41/30/30
Clearance of storage compartment / garage doors or flap, $\label{eq:ward} WxH(cm)$	Rear 100 x 40	Rear 100 x 40	Front 100 x 40	Rear 45 x 100 / Front 100 x 60
Bed dimension: Front bed, L x W (cm)	200 x 99 - 130	200 x 93 - 130	200 x 80 / 190 x 80	200 x 140
Bed dimension: Rear bed, L x W (cm)	193 x 135	200 x 200	200 x 120 - 100	2x 200 x 76
Bed dimension: Central / middle bed, L x W (cm)				205 x 128 - 110
Bed dimension: Sleeping roof, L x W (cm)	193 x 150 O	193 x 150 O	193 x 150 O	193 x 150 ○
Berths	3-50	3-50	3-50	5-70
Kitchen, W x D x H (cm)	102 x 64 x 96	135 x 64 x 96	101 x 64 x 96	102 x 64 x 96
Refrigerator volume incl. freezer (I)	81 (10)	81 (10)	81 (10)	133 (12)
Heating type	Gas heating, 3.5 kW	Gas heating, 3.5 kW	Gas heating, 3.5 kW	Gas heating, 3.5 kW
Gas bottle storage (Filling weight)	2x 11kg	2x 11kg	2x 11kg	2x 11kg
Fresh water supply (I)	45	45	45	45
Warm water tank (I)	Electric boiler 510	Electric boiler 5 I O	Electric boiler 510	Electric boiler 510
Sockets: 230 V	3-50	3-50	3-50	3-50
Sockets: USB				2-40

Standard equipmentOn request (no extra cost)

O Optional equipment

Not possible

▲ Mandatory

□ Available in package

 $\triangle$  Not known at the time of publication



The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to  $\pm\,5\%$  of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which ERIBA specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles

delivered by ERIBA. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

# PRICES AND TECHNICAL DATA ERIBA FEELING AND NOVA LIGHT











	Nova Light 425	Nova Light 442	Nova Light 465	Nova Light 470	Nova Light 515
Price £	25,360	26,870	26,550	26,550	26,990
Axle	Mono	Mono	Mono	Mono	Mono
Tire size	185 R14 C 102 L				
Length / Width / Height (cm)	607 / 217 / 257	667 / 217 / 257	607 / 225 / 257	647 / 217 / 257	695 / 225 / 257
Body length (exterior) (cm)	486	546	486	526	578
Interior length (cm)	430	490	430	470	540
Interior width (cm)	200	200	208	200	208
Roof type	Fix roof				
Headroom in living area (cm)	198	198	198	198	198
A-measurement awning (cm)	860	920	860	900	950
Mass in running order (-/+ 5%) (kg)*	1025 (974 - 1076)*	1110 (1055 - 1166)*	1055 (1002 - 1108)*	1090 (1036 - 1145)*	1234 (1172 - 1296)*
Manufacturer-specified mass for optional equipment (kg)*	81	90	51	112	43
Technically permissible maximum laden mass (kg)*	1200	1300	1200	1300	1400
Maximum nose weight (kg)	100	100	100	100	100
Insulation floor / side walls / roof (mm)	41/30/30	41/30/30	41/30/30	41/30/30	41/30/30
Clearance of storage compartment / garage doors or flap, $\label{eq:wave_def} WxH(cm)$	Rear 100 x 40	Rear 100 x 40	Rear 100 x 40	Front 100 x 40	Rear 45 x 100 / Front 100 x 60
Bed dimension: Front bed, L x W (cm)	200 x 130 - 99	200 x 93 - 130	200 x 99 - 130	200 x 80 / 190 x 80	200 x 140
Bed dimension: Rear bed, L x W (cm)	193 x 135	200 x 200	200 x 137	200 x 120 - 100	2x 200 x 76
Bed dimension: Central / middle bed, L x W (cm)					205 x 128 - 110
Bed dimension: Sleeping roof, L x W (cm)					
Berths	3	3	3	3	5
Kitchen, W x D x H (cm)	102 x 64 x 96	135 x 64 x 96	118 x 64 x 96	101 x 64 x 96	102 x 64 x 96
Refrigerator volume incl. freezer (I)	81 (10)	81 (10)	81 (10)	81 (10)	133 (12)
Heating type	Gas heating, 3.5 kW				
Gas bottle storage (Filling weight)	2x 11kg				
Fresh water supply (I)	45	45	45	45	45
Warm water tank (I)	Electric boiler 510				
Sockets: 230 V	3-50	3-50	3-50	3-50	3-50
Sockets: USB					2-40

Standard equipmentOn request (no extra cost)

O Optional equipment

Not possible

▲ Mandatory

□ Available in package

 $\triangle$ Not known at the time of publication



The specified mass in running order is a standard value defined in the type approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to  $\pm\,5\%$  of the mass in running order are legally permissible and possible. The permissible range in kilograms is stated in parentheses after the mass in running order. The mass for optional equipment specified by the manufacturer is an imputed value determined for each type and layout by which ERIBA specifies the maximum weight available for factory-fitted optional equipment. The purpose of limiting optional equipment is to ensure that the minimum payload, i.e. the legally required free mass for baggage and retrofitted accessories, is actually available for the load capacity of vehicles

delivered by ERIBA. The actual weight of your vehicle after leaving the factory can only be determined when it is weighed at the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls short of the minimum payload due to a permissible weight deviation, despite the limitation of the optional equipment, we will check together with your trading partner and you before delivery of the vehicle whether we should, for example, increase the load capacity of the vehicle or remove optional equipment. The technically permissible maximum laden mass of the vehicle must not be exceeded. For detailed information and explanations on the topic of weight and the configuration of the vehicle, please refer to the "Legal notes" section.

# STANDARD EQUIPMENT ERIBA FEELING AND NOVA LIGHT

	Feeling 425	Feeling 442	Feeling 470	Feeling 515	Nova Light 425	Nova Light 442	Nova Light 465	Nova Light 470	Nova Light 515
	eelin	eelin	eelin	eelin	loval	loval	loval	loval	loval
Chassis	L	ш	ш	ш	2	2		_	_
Fully galvanized lightweight system chassis with galvanized axle body	•	•	•	•	•	•	•	•	•
Extra long drawbar for more driving stability and enough space for a drawbar carrier	•	•	•	•	•	•	•	•	•
Trailing arm axle with independent wheel suspension	•	•	•	•	•	•	•	•	•
Automatic brake adjustment (short braking distances and more driving comfort due to gentle braking without jerky acceleration)	•	•	•	•	•	•	•	•	•
Anti-sway coupling with friction linings and one-hand operation (suppresses rolling and pitching movements)			•	•	•	•	•	•	•
Spare wheel bracket located in the gas bottle compartment	•	•	•	•	•	•	•	•	
Galvanized plug-in corner steadies	•	lacksquare	•	•	•	•	•	•	•
Body									
Side walls in smooth sheet metal, Color: White	•	•	•	•	•	•	•	•	•
Front, roof and rear, Colour: White									
Pop-top roof with 30 mm Sandwich insulation (PU), Colour: Carrara white Pop-top roof tent fabric with ventilation and integrated mosquito net					_	_	_	_	_
Windows with mosquito net, blackout blind and ventilation adjustment					•	•	•	•	
All windows tinted and with double acrylic glazing	•	•	•	•	•	•	•	•	•
One-piece entrance door with wardrobe and storage net	•	•	•	•	•	•	•	•	•
Insulated gas bottle compartment with robust aluminum checker plate floor and low loading edge	•	•	•	•	•	•	•	•	•
Integrated front storage compartment for 2x11 kg gas bottles, spare wheel, waste water tank, level chocks	•	•	•	•	•	•	•	•	•
Stable grab handles at the front, continuous manoeuvring handle at the rear	•	•			•	•	•		
External storage flap, 100 x 40 cm, RH side, rear			_	_	•	•	•	_	_
External storage flap, 100 x 40 cm, RH side, front  External storage flap, 100 x 60 cm, RH side, front									
External storage flap incl. foldable slatted frame for maximum storage, 45 x 100 cm, RH side	_	_	_	•	_	_	_	_	
Panoramic skylight in living room, double-glazed with LED-lighting, 80 x 50 cm	_	_	_	_	•	•	•	•	•
Outfitting									
Spacious wardrobe with laundry compartment (height adjustable shelf)	_	_	_	_	•	•	•	•	•
Fabrics & Furniture finishes	Ļ	_	Ļ	_	_	_		Ļ	
Furniture finish: Chiavenna Nut			•		•	•		•	•
Fabric combination: Brighton Living and bedroom + lighting									
12 V LED lighting	•	•	•	•	•	•	•	•	<b>—</b>
LED awning light with motion detector	•	•	•	•	•	•	•	•	•
Modern swiveling spot lights	•	•	•	•	•	•	•	•	
All fixed beds with cold foam mattresses with removable and washable mattress covers	•	•	•	•	•	•	•	•	•
Bed conversion of seating group possible	•	•	•	•	•	•	•	•	•
Wooden bed slats under all fixed beds, foldable	•	_	_	_	•	•	•	_	_
Kitchen  3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover									
Cooker control buttons removable for cleaning	•	•	•	•	•	•	•	•	•
Glass splash guard	•	•	•	•	•	•	•	•	•
Kitchen drawer with Servo Soft feature	•	•	•	•	•	•	•	•	
81 l absorber fridge incl. freezer compartment (energy source gas, 12 V or 230 V)	•	•	•	_	•	•	•	•	_
133 I absorber fridge incl. freezer compartment (energy source gas, 12 V or 230 V)	_	_	_	•	_	_	_	-	•
Bathroom  I and the state of th									
Upper cabinet with mirror and shelves  Illuminated mirror									
Opening bathroom window, frosted glass, with blackout blind and mosquito net			•	•	•	•		•	
Bench toilet with level indicator and cassette on wheels as well as own rinsing tank	•	•	•	•	•	•	•	•	•
Installation & Technology									
Smoke detector	•	•	•	•	•	•	•	•	•
13-pin Jaeger connector	•	•	•	•	•	•	•	•	•
Frost-proof water installation for winter operation	•	•	•	•	•	•	•	•	•
45 I fresh water tank  Caravan power supply with automatic switchover to towing vehicle									•
Caravan power supply with automatic switchover to towing vehicle  230 V socket at bathroom, kitchen as well as living room									
Gas heating Truma S 3004 (3,500 W)	•	•	•	•	•	•	•	•	•

## PACKS ERIBA FEELING AND NOVA LIGHT

# Sleeping roof package Sleeping roof with Maxi double bed Warm air blower, electric fan (12 V) Gas heating Truma Combi 4 with integrated 10 I warm water boiler, heating levels (2,000/4,000 W) Package price 3,980.Additional weight\*

Moving package	Price £
Autonomy pack (95 Ah AGM habitation battery, charger with integrated booster)	510
Mosquito net door (entire door height), user-friendly thanks to lateral guidance	300
Drawbar bike carrier Thule Caravan Superb for 2 bicycles, max. load 60 kg, suitable for E-bikes	370
Support feet (4 units) for caravan supports: Prevents sinking in or slipping out of the supports	140
Jockey wheel with integrated load indicator	90
22 I waste water tank, rollable (located in the gas bottle compartment)	110
Socket package (2 x 230 V additional sockets in living room as well as kitchen)	180
Package price	1,700
Package price	1,200
You save	500
Additional weight*	55.5

Elegance package	Price £
Cover for drawbar	120
Side walls in smooth sheet metal, Color: Crystal silver	880
Design graphics: Elegance	120
Alloy rims, ERIBA 5-star double spoke, silver	460
Package price	1,580
Package price	1,010
You save	570
Additional weight*	19

Multimedia package	Price £
Radio / TV pre-installation (Audio wiring, Radio antenna and 2 speakers)	240
Radio Entertainment System: DAB, Audio Streaming via Wi-Fi, Bluetooth, Apple AirPlay & Digital Signal Processing	750
TV bracket	200
22" LED flat screen	620
Package price	1,810
Package price	1,500
You save	310
Additional weight*	9

Standard equipmentOn request (no extra cost)

O Optional equipment

Not possible

▲ Mandatory

☐ Available in package

△Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed value determined for

# OPTIONAL EXTRAS ERIBA FEELING AND NOVA LIGHT

Chassis		Price £	Feeling 425	Feeling 442	Feeling 470	Feeling 515	Nova Light 425	Nova Light 442	Nova Light 465	Nova Light 470	Nova Light 515	Additional weight*
V201101300	Uprating to 1,300 kg	400	0	_	_	_	0	_	0	_		0
V201101300 V201101400	Uprating to 1,400 kg	400	0	0	0	_	0	0	0	0	_	19
V201101400 V201101500	Uprating to 1,500 kg	400	0	0	0	_	0	0	0	0	_	20
V201101500	Uprating to 1,500 kg	400	_	_	_	0	_	_	_	_	0	0
V201101500 V201101600	Uprating to 1,600 kg	400	0	0	0	_	0	0	0	0	_	34
V201101600	Uprating to 1,600 kg	400	_	_	_	0	_	_	_	_	0	15
V201101000 V2029512	Jockey wheel with integrated load indicator	90										0
V20290J	Cover for drawbar	120										4
	Support feet (4 units) for caravan supports: Prevents sinking in or slipping											
V2045011	out of the supports	140			_			_			_	5
V2037515	Alloy rims, ERIBA 5-star double spoke, silver <sup>5) 6)</sup>	460										0
V2035111	Spare wheel on steel rim <sup>5) 6)</sup>	230	0	0	0	0	0	0	0	0	0	22
V2035119	Spare wheel on alloy rim <sup>5) 6)</sup>	280	0	0	0	0	0	0	0	0	0	20
V20080J	Anti-sway system: By gentle braking, the caravan pulls itself back on track	880	0	0	0	0	0	0	0	0	0	5
V2071010	AL-KO Mammut manoeuvring system with remote control for mono-axle 7)	2,300	0	0	0	0	0	0	0	0	0	33
Body	Side wells in speech shoot matel. Calcus Constel silver	000										15
V3003011 V70030128	Side walls in smooth sheet metal, Color: Crystal silver Design graphics: Elegance	880 120										15 0
	Mosquito net door (entire door height), user-friendly thanks to lateral											
V30300J	guidance	300										5
V30010J	Waste bin integrated in entrance door	80	0	0	0	0	0	0	0	0	0	2
V30590102	External storage flap, 75 x 30 cm, LH side, rear	220	_	0	_	_	_	0	_	_	_	1
V30570102	External storage flap, 75 x 30 cm, LH side, front	220	_	0	0	_	0	0	_	0	_	1
V30580102	External storage flap, 75 x 30 cm, RH side, front	220	0	0	_	_	0	0	0	_	_	1
V30570112	External storage flap, 100 x 60 cm, LH side, front	280	_	_	_	0	_	_	_	_	0	1
V3007011	Panoramic skylight in the elevating roof	560	0	0	0	0	_	_	_	_	_	5
V30260J	Rear window, opening incl. blackout blind and mosquito net	370	•	0	•	_	•	0	•	•	_	2
V30522130	Roof awning Thule Omnistor 6300 with adapter, white housing, 350 x 250 cm (expandable with privacy screen, wind and rain protection) $^{25)}$	1,090	0	_	0	_	0	-	0	0	_	32
V30522150	Roof awning Thule Omnistor 6300 with adapter, white housing, $400 \times 250$ cm (expandable with privacy screen, wind and rain protection) $^{25)}$	1,290	-	0	_	0	_	0	_	_	0	39
V30220J	Drawbar bike carrier Thule Caravan Superb for 2 bicycles, max. load 60 kg, suitable for E-bikes	370										16
Fabrice & Furni												
V602104009	Carpet: Samona <sup>26)</sup>	210					$\overline{}$				0	8
V602104005	Carpet: Laguna <sup>26)</sup>	210		0		0	0	0	0	0	0	8
Living and bedi		210.									ŏ	
V60260J	Additional cushion between the longitudinal single beds	120		0	_	_		0	_		_	1
V60030J	2 pillows with pillow cases	100		0	0	0	0	0	0	0	0	0.5
V6030010	Comfort cushion for front seating group (supplied loose)	230		0	0	0	0	0	0	0	0	1
V40341J	Rollable bed slats between the longitudinal single beds (incl. additional	350			0					0		12
	cushion)											
V60170J	ERIBA Original fitted sheets, Color: gray	110		0	0	0	0	0	0	0	0	2
V50290J	Ambient lighting	330	_	_	_	_	0	0	0	0	0	1
Kitchen												
V4047010	Sink cover with chopping board	60	0	0	0	0	0	0	0	0	0	0.5
Bathroom	Chausanhaar	220	^		^							4
V50150J	Shower tray Shower equipment with shower tray, shower head and curtain as well as	220		0	0	0						4
V40120J	additional roof tent fabric for the bathroom	370	0	0	0	0	_	_	_	_	-	5



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed value determined for

		Price £	Feeling 425	Feeling 442	Feeling 470	Feeling 515	Nova Light 425	Nova Light 442	Nova Light 465	Nova Light 470	Nova Light 515	Additional weight*
V40120J	Shower equipment with shower head and curtain	260	_	_	_	_	0	0	0	0	0	5
Installation & T	echnology											
V50110J	Universal awning socket (230 V, 12 V, TV) incl. interior TV pre-wiring <sup>19)</sup>	250	0	0	0	0	0	0	0	0	0	1
V50090J	City water connection	280	0	0	0	0	0	0	0	0	0	3
V50230J	External gas socket with shut-off valve	200	0	0	0	0	0	0	0	0	0	1
V5026013	Gas regulator with crash sensor for two gas bottles (automatic change if gas bottle is empty)	370	0	0	0	0	0	0	0	0	0	1
V80288J	Socket package (2 x 230 V additional sockets in living room as well as kitchen)	180										0.5
V5071010	Electric warm water boiler with 5 I water content (300 W) <sup>23) 27)</sup>	310	0	0	0	0	0	0	0	0	0	3
V5071011	10 I gas boiler with 230 V bar heater <sup>27) 23)</sup>	880	0	0	0	0	0	0	0	0	0	8
V5068511	Warm air blower, electric fan (230 V) <sup>20)</sup>	300	0	0	0	0	0	0	0	0	0	3
V5068510	Warm air blower, electric fan (12 V) <sup>20)</sup>	300					0	0	0	0	0	3
V80070J	Autonomy pack (95 Ah AGM habitation battery, charger with integrated booster)	510										30
V5020010	Electric floor tempering in habitation area and central walkway <sup>26)</sup>	700	0	0	0	0	0	0	0	0	0	10
V5028011	Gas heating Truma Combi 4 E with integrated 10 I warm water boiler, heating levels $(2,000/4,000W)$ and electric bar heating, heating levels $(900/1,800W)^{28)}$	500	0	0	0	0	_	_	_	_	_	0
V5074010	Electric auxiliary heating for gas heating Truma Ultraheat (three levels: 500 / 1,000 / 2,000 W)	380	0	0	0	0	0	0	0	0	0	2
V5002510	22 I waste water tank, rollable (located in the gas bottle compartment)	110										3
V5033011	Roof AirCon Dometic FreshJet FJX4 2200 incl. remote control (2,200 W cooling capacity)	2,030	-	_	_	_	0	0	0	0	0	34.5
Multimedia												
V50401J	Radio / TV pre-installation (Audio wiring, Radio antenna and 2 speakers)	240										2.5
V50400114	Radio Entertainment System: DAB, Audio Streaming via Wi-Fi, Bluetooth, Apple AirPlay & Digital Signal Processing <sup>29)</sup>	750										3
V5054698	TV bracket	200										2.5
V5054513	22" LED flat screen <sup>29)</sup>	620										3
Packages												
V3016010	Sleeping roof package <sup>30) 27)</sup>	3,980	0	0	0	0	_	_	_	_	_	120
V8019510	Moving package	1,200	0	0	0	0	0	0	0	0	0	55.5
V8011010	Elegance package	1,010	0	0	0	0	0	0	0	0	0	19
V8020098	Multimedia package	1,500	0	0	0	0	0	0	0	0	0	9



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the payload. The specified additional weight for packages and optional equipment shows the additional weight compared with the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the mass for optional equipment specified by the manufacturer in the model overviews. This is an imputed value determined for

## ERIBA ORIGINAL ACCESSORIES FOR YOUR CARAVAN

The ERIBA Original Accessories product range offers you a variety of solutions with added value that combine an excellent fit with harmonious design – and, of course, in the renowned ERIBA quality. Whether you want to extend your living area or protect yourself from cold weather in your caravan, we have the perfect items to ensure your holidays are carefree.



# Travel small – live big: No problem with the Isabella awning for all Touring model ranges

The living area of your Touring caravan can be easily extended with a tent, enabling you to make use of the area outdoors when camping. Whatever the weather does.



# Thule Sun and Rain Blockers – the perfect additions to your awning

The Sun and Rain Blockers for your awning provide effective protection from the weather. They are available in different sizes for the front and both sides of your awning.



#### ERIBA winter canvas

The protective winter canvas, specially designed for the ERIBA Touring, is light, breathable and tear-proof. It is also a perfect fit and can be attached in just a few minutes. The three-piece set consists of left and right side walls, as well as a roof piece.



#### **ERIBA** insulation

Whether or not the pop-top roof has a bed, the insulation from ERIBA Original Accessories provides effective protection from the cold. It is attached in front of the canvas material of the roof from inside. This means that it can also be used in cold weather without any problems.



#### **ERIBA** blankets and towels

Outstanding quality and colour-coordinated with the interior – the ERIBA Colour Collection. The blankets and towels are available in the colours NUGGET GOLD, HARBOUR BLUE, SIMPLY TAUPE and TANGO RED.



#### **ERIBA** toiletry bag

The ERIBA toiletry bag is a must-have on holiday. Available in the colours SIMPLY TAUPE, HARBOUR BLUE and NUGGET GOLD, it boasts an eye-catching look inspired by the original design of the ERIBA Touring and is a handy little solution for keeping your toiletries neat and tidy.

Tailor-made solutions for your sleeping comfort, awnings and bicycle racks, stylish merchandise and much more are also available from ERIBA Original Accessories. Take a look at the entire product range of ERIBA Original Accessories.





Original accessories are not available direct from the factory, but are instead ordered and retrofitted exclusively via your ERIBA dealer. The items are retrofitted to the vehicle following delivery from the factory and are not the responsibility of the manufacturer. Original ERIBA parts and accessories that are retrofitted to a vehicle affect the payload capacity and axle loads.

Please note that the technically permissible maximum laden mass on the axle must not be exceeded even after fitting the original ERIBA parts and accessories. For further information and explanations on the topic of weight, please refer to our weight information.

# **NOTES:**

## IMPORTANT NOTES

Any modification of the original factory condition of your vehicle may result in impaired driving and / or driving safety.

Please note that the standard series equipment may be omitted when ordering optional extras. Individual package contents can sometimes also be ordered separately. Since not all dependencies of single optional extras can be listed here, please check with your ERIBA dealer.

Accessories and original spare parts recommended by Hymer GmbH & Co KG are designed, developed and approved specifically for your vehicle. Your ERIBA dealer supplies these products; he is informed about all the technical details and can perform the necessary work in the correct manner. Accessories not approved by Hymer GmbH & Co KG, additions, alterations or installation parts can cause damage to the vehicle and reduce road safety. Even if there is an opinion of an expert or a parts-ABE type approval, Hymer GmbH & Co KG can not guarantee as to the proper nature of the product.

Please understand that for any damage caused by non-approved products or not allowable changes, liability for Hymer GmbH & Co KG can NOT be accepted.

Weight figures are approximate values. Due to the processing of natural materials, deviations of +/- 5% in the mass in running order are possible and permissible, and may have an impact on the payload stated in the price list.

Your ERIBA dealer will be happy to help you with any uncertainties or questions.

The payload listed is reduced when fitting optional extras by the weights listed in the price list.

The data regarding scope of delivery, appearance, performance, dimensions, weight, payload are correct at time of printing and are not binding. These may be subject to minor changes (+/- 5%).

Your ERIBA dealer will gladly provide information on changes and the standard scope of supply.

In direct sunshine onto the exterior panel of the ERIBA Touring models, heat development can lead to a certain irregularity in the exterior appearance. This is due to the unique handmade steel cage construction and is not a quality defect.

The prices indicated are only valid for optional extras if fitted in the production of a new vehicle. The retrofitting of some optional extras is sometimes not possible or associated with considerable additional costs.

This price list includes the series status at the time of printing. Despite checking the contents, errors can not be excluded. In the course of the model year, we reserve the right to change equipment and to make product improvements.

The layouts are partially shown with optional extras which are available at extra cost, these are not part of the standard scope of delivery.

The water installation system is at least state-of-the-art as of 07/2011 (EG directive 2002/72/EG). Before signing a sales contract, please inform yourself about our current product and series status with one of our approved ERIBA dealer.

All prices are recommended retail prices in Euro including legal applicable VAT ex works. Freight from Germany, first registration fee and handover are not included and will be charged separately.

Changes in price, design and equipment are possible without prior notice.

This price list supersedes all previous ones.

#### Collection / Pick-up

Collection / Pick-up of your caravan at the factory is not possible.

#### **Technical data**

\*) Data not available at time of going to press.

## **FOOTNOTES**

- 1) Battery charge level indicator only possible in combination with autonomy package or lithium batteries.
- 2) Optional extension possibilities via ERIBA Connect starter pack.
- 3) Only available in combination with the steel rims.
- 4) The chrome coating of the wheel trim is not corrosion resistant and therefore not suitable for winter use.
- 5) Tire size depends on the chassis.
- 6) The optional spare wheel must correspond to the selected tires. This means that the spare wheel on an alloy wheel can only be ordered with tires on alloy rim. The spare wheel on steel rims only in combination with tires on steel rims.
- 7) When ordering the optional mover, order of the electric autonomy package is mandatory.
- 8) Only in combination with a battery (AGM or lithium).
- 9) The shower equipment and the sleeping roof are mutually exclusive only one of the two can be selected.
- 10) Only available in combination with rear seating group or optional single beds with pull-out bed slats and free-standing table.
- 11) For floor plans 530 and 550 only possible with fixed bed in the rear.
- 12) On the Touring 430, 540 and 542, the exterior storage compartment flap at the rear left is not available in conjunction with the 10l gas boiler.
- 13) For layouts 530, 540, 550 and 560 only possible with seating group in the rear.
- 14) Please note that the Touring bike carrier has a small distance between the mounting rails, which means that only one bike can be transported if you have large/wide bikes.
- 15) With removable bedside table and removable free-standing table as well as additional cushion parts for bed conversion of the round seating group. Extendable slatted frame / back seat with Velcro band divided to broaden the lying surface.
- 16) Spring mattress option only available in combination with transverse bed or optional "single beds with extendable slatted frame and free-standing table".
- 17) Mattress with matching cover (living room fabric).
- 18) Can be paired with vehicle app via bluetooth
- 19) TV pre-wiring is included when ordering the universal awning socket, but without any final fittings (i.e. no TV socket inside the vehicle).
- 20) When ordering the optional autonomy package, the 230 V hot air blower (partly available as optional extra) is replaced by a 12 V hot air blower.
- 21) Not in combination with another battery.
- 22) Not in combination with AGM battery.
- 23) The options electric water boiler with 5 I water content and 10 I gas boiler cancel each other. Only one of these positions can be ordered.
- 24) Only in combination with gas pressure regulator with crash sensor.
- 25) The options sleeping roof and awning cancel each other. Only one of these positions can be ordered.
- 26) Carpet and electric floor tempering cancel each other. Only one of these options can be ordered.
- 27) Sleeping roof package excludes the following options: 5 | electric hot water boiler, additional electric heating, 10 | gas boiler, shower equipment.
- $28) \, Truma \, Combi \, 4 \, E \, gas \, heating \, with \, integrated \, 10 \, I \, warm \, water \, boiler \, only \, available \, in \, combination \, with \, sleeping \, roof.$
- 29) Only possible in conjunction with a TV preparation/flat screen holder.
- 30) When ordering the sleeping roof, the overall height of the vehicle increases to 246 cm.

## LEGAL NOTES ON WEIGHT-RELATED INFORMATION

The weight specifications and tests for caravans are regulated uniformly throughout the EU in EU Implementing Regulation No. 2021/535 (until June 2022: EU Regulation No. 1230/2012). We have summarized and explained the essential terminology and legal requirements from this regulation for you below. Our dealers and the ERIBA configurator on our website are there to give you additional assistance in configuring your vehicle.

#### 1. Technically permissible maximum laden mass

The technically permissible maximum laden mass of the vehicle (e.g. 2,000 kg) is a mass specification defined by the manufacturer that the vehicle must not exceed. You can find information on the technically permissible maximum laden mass of the model you have selected in the technical data. Driving the vehicle even if it exceeds the technically permissible maximum laden mass constitutes an administrative offense that may result in a fine.

#### 2. Mass in running order

In simple terms, the mass in running order is the basic vehicle with standard equipment. This essentially includes the following items:

- -> the unladen weight of the vehicle together with the bodywork, including operating fluids;
- -> the standard equipment, i.e. all equipment and standard fittings included when the vehicle leaves the factory;
- -> the 100% filled water tank or driving tank according to the manufacturer's specifications and a 100% filled aluminum gas cylinder.

You can find information on the mass in running order for each model in our sales documents. It is important to note that the value specified in the sales documents for the mass in running order is a standard value determined in the type approval process and verified by the authorities. It is legally permissible and possible for the mass in running order of the vehicle delivered to you to deviate from the nominal value specified in the sales documents. The legally permissible tolerance is  $\pm$  5%. This allows EU legislation to account for the occurrence of certain fluctuations in the mass in running order due to weight fluctuations in components supplied by third-party suppliers as well as process and weather-related factors. These weight deviations can be illustrated using the following example calculation:

- -> Mass in running order according to sales documents: 1,600 kg
- -> Legally permissible tolerance of ± 5%: 80 kg
- -> Legally permissible range of mass in running order: 1,520 kg to 1,680 kg

The specific range of permissible weight deviations can be found in the technical data for each model.

ERIBA makes great efforts to reduce weight variations to the minimum level that is unavoidable for production reasons. Deviations at the upper and lower ends of the range are therefore very rare; however, they cannot be completely ruled out technically, even after carrying out all possible optimization measures. For this reason, ERIBA checks the actual weight of the vehicle and compliance with the permissible tolerance by weighing each vehicle at the end of the line.

#### 3. Optional equipment and actual mass

According to the legal definition, optional equipment (also including special or additional equipment) includes all optional equipment parts not included with the standard equipment that are fitted to the vehicle under the responsibility of the manufacturer – i.e. at the factory – and can be ordered by the customer (e.g. awning, smooth panel, Alde heating system, oven, etc.). For information on the individual or package weights of the optional equipment that can be ordered, please refer to our sales documents. In this meaning, optional equipment does not include other accessories that are retrofitted by you or your dealer personally after the vehicle has been delivered from the factory.

The mass of the vehicle in running order (see no. 2 above) and the mass of the optional equipment installed on a specific vehicle at the factory are together referred to as the actual mass. You will find the corresponding information for your vehicle after handover under item 13.2 of the Certificate of Conformity (CoC). Please note that this information also represents a standardized value. Since the mass in running order – as an element of the actual mass – is subject to a legally permissible tolerance of  $\pm$  5% (see no. 2), the actual mass may also deviate accordingly from the specified nominal value.

#### 4. Payload and minimum payload

The installation of optional equipment is also subject to technical and legal limits: It is only permissible to order an amount of optional equipment for installation at the factory that will leave sufficient free weight for baggage and other accessories (i.e. "payload") without exceeding the technically permissible maximum laden mass.

The payload is obtained by deducting the mass in running order (nominal value according to sales documents; see no. 2 above) and the mass of the optional equipment from the technically permissible maximum laden mass (see no. 1 above).

The EU regulations stipulate a fixed minimum payload for caravans that must remain as a minimum for baggage or other accessories not installed at the factory. This minimum payload is calculated as follows:

Minimum payload in kg ≥ 10 \* (n + L)

where "n" = maximum number of sleeping berths and "L" = total length of the vehicle body (without drawbar).

The maximum number of sleeping berths corresponds to the actual configured sleeping berths of the individual vehicle.

For a caravan with 6 designated sleeping berths and a total length of the vehicle body of 7 m, the minimum payload is calculated as follows:  $10 \text{ kg} \times (6+7) = 130 \text{ kg}$ .

To ensure that the minimum payload is maintained, there is a maximum combination of optional equipment that can be ordered for each vehicle model. In the above example with a minimum payload of 130 kg, the total mass of the optional equipment for a vehicle with 6 designated sleeping berths and a mass in running order of 1,750 kg should not exceed 120 kg:

2,000 kg technically permissible maximum laden mass

- 1,750 kg mass in running order
- 130 kg minimum payload
- = 120 kg maximum permissible mass for optional equipment

It is important to note that this calculation is based on the standard value for the mass in running order specified in the type approval procedure and does not account for permissible weight deviations for the mass in running order (see no. 2 above).

If the maximum permissible value of 120 kg for the optional equipment is nearly or fully exhausted in this example and the standard value of the mass in running order is applied, it is possible for the minimum payload of 130 kg to be complied with mathematically in the event of an upward weight deviation even if the vehicle has no load capacity.

Here is another example calculation for a vehicle with 6 sleeping berths whose actual weighed mass in running order is 2% above the nominal value:

2,000 kg technically permissible maximum laden mass

- 1,785 kg actual weighed mass in running order (in the example: 2% higher than the specified value of 1,750 kg)
- 120 kg optional equipment (maximum permissible value)
- 95 kg actual load capacity (< minimum pay-mass of 130 kg)</li>

To avoid such a situation, ERIBA further reduces the maximum permissible weight of the total optional equipment that can be ordered depending on the specific model.

The limitation of optional equipment is intended to ensure that the minimum payload, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the load capacity of the vehicles delivered by ERIBA.

Since the weight of a specific vehicle can only be determined when it is weighed at the end of the line, in very rare cases a situation may arise in which the minimum payload is not guaranteed at the end of the line despite this limitation of optional equipment.

In order to guarantee the minimum payload even in these cases, ERIBA will check together with your trading partner and you before delivery of the vehicle whether, for example, the load capacity of your vehicle is to be increased or optional equipment removed.

#### 5. Effects of tolerances of the mass in running order on the remaining load capacity

Irrespective of the minimum payload, you should bear in mind that unavoidable production-related fluctuations in the mass in running order – both upwards and downwards – have a corresponding effect on the remaining load capacity: If, for example, you order our example vehicle with optional equipment with a total weight of 90 kg, the calculated payload based on the standard value for the mass in running order is 160 kg.

The load capacity actually available may deviate upwards or downwards from this value due to tolerances.

If the mass of your vehicle in running order is approximately 2% higher than specified in the sales documents, the load capacity is reduced from 160 kg to 125 kg:

 $2,\!000\,kg\,technically\,permissible\,maximum\,laden\,mass$ 

- 1,785 kg actual weighed mass in running order (in the example: 2% higher than the specified value of 1,750 kg)
- 90 kg ordered optional equipment of the specific vehicle
- = 125 kg actual load capacity

In order to ensure that the calculated payload is actually adhered to, you should therefore take the possible and permissible tolerances for the mass in running order into account as a precaution when configuring your vehicle.

We also recommend weighing the loaded caravan on a scale before each journey to check whether the technically permissible total weight is adhered to. In addition, we recommend checking the actual drawbar load of the loaded vehicle. This must not be higher than the max. drawbar load of the towing vehicle. Furthermore, the technically permissible maximum laden mass of the vehicle combination must be observed when loaded, i.e. the maximum mass of the combination of your motor vehicle and your caravan.

### Please note

This price list describes the series status at the time of printing. Despite checking the contents, printing errors cannot be ruled out. We reserve the right to make equipment changes or product improvements in the course of the model year. Please contact one of our authorised ERIBA dealers for information in the current product and series status before concluding a contract.

Some of the vehicles are shown with optional extras, which are included in the current price list and are available at an extra charge. The decoration shown is not part of the ERIBA scope of delivery. The information on scope of delivery, appearance, performance, dimensions and weights of the vehicles - deviations within the factory tolerances (+/-  $5\ \%$  max.) are possible and permissible - corresponds to the knowledge available at the time of printing.

The information provided complies with European homologation regulations; these may change until the vehicle is purchased or until delivery. Your ERIBA dealer will be pleased to inform you about any changes and the standard scope of delivery.

Copyright © 2024 Hymer GmbH & Co. KG



Hymer GmbH & Co. KG Postfach 1140 D-88339 Bad Waldsee

www.eriba.com





Follow us on Facebook and Instagram!